CATALOG - Q1





www.green.net.tr



LET THE GAME BEGIN.










With over 35 years of experience and expertise, **Medel Elektronik** continues to grow by expanding its product range to include office and gaming computers and equipment together with **GREEN** brand. The company takes pride in introducing a new brand to our country as the largest case equipment manufacturer in the region through joint investments with Green Planet company, operating in both domestic and international markets, with a production area of approximately 20.000 square meters.

In addition to our 5.000 square meter facility located in the Tuzla OSB region, we bring a new breath to the field of office and computer equipment with our production of Cases, Power supplies, Coolers, Monitors, Motherboards, Graphics cards, ALL IN ONE PCs, and Keyboards in our 20.000 square meter production area abroad. Our goal and purpose are to target both domestic and international markets with a focus on marketing office and computer equipment.



8-9	AIO All In One 24"
	AIO All In One 24"
12-15	
18	
	OCPT Group Power Supply
20	HP EVO Group Power Supply
21	UK EVO Group Power Supply
22	
23	
24-25	
28	
28	
	Vertical VGA Mouting Kit
	Rackmount Sliding Rail
	Griffin Gaming Mouse Pad
	GT-4 Premium
30	
31 G	lacier ARGB CPU Water Cooling
32	Glacier EVO CPU Water Cooling
33	Glacier CPU Water Cooling
34-35	
38-43	
46-51	
54-55	
56-65	
66	Awards - Certificates

CONTENTS





GREEN®
"THE GAME REVOLUTIONISED: WELCOME TO THE NEXT GENERATION,,

www.green.net.tr

AIO ALL IN ONE HEPSİ BİR ARADA









H610T Series GREEN All in One 24" Powered By ASUS

AiO (All in One) Mode GX24-P14 Motherboard ASUS H410T/H610T CPU Intel Pentium Gold Series RAM 4GB DDR4 2400/3200MHz Storage 1TB HDD Display Screen 23.8" FHD 1920x1080 VA Panel GPU Intel Graphics 610/710 HDMI + Display Port I/O Ports Gigabit LAN + COM Port LISB3 1 + LISB2 0 + Audio Mouse/Keyboard Rundle Keyboard & Mouse Intel 802.11 AC + Bluetooth Misc 2x3W speaker + 150W Adapter Black / White Windows 10 / Windows 11 OS Guarantee 24 Month GREEN Guarantee

AiO (All in One) GX24-i314 ASUS H410T/H610T Intel Core i3 Series 4GB DDR4 2400/3200MHz 1TB HDD Intel Graphics 630/730

23.8" FHD 1920x1080 VA Panel HDMI + Display Port Gigabit LAN + COM Port USB3.1 + USB2.0 + Audio **GREEN Wireless** Bundle Keyboard & Mouse Intel 802.11 AC + Bluetooth

2x3W speaker + 150W Adapter Black / White Windows 10 / Windows 11 24 Month GREEN Guarantee

AiO (All in One) GY24-i318S ASUS H410T/H610T Intel Core i3 Series 8GB DDR4 2400/3200MHz 1TB HDD + 120GB M.2 SSD 23.8" FHD 1920x1080 VA Panel Intel Graphics 630/730 HDMI + Display Port Gigabit LAN + COM Port USB3.1 + USB2.0 + Audio

GREEN Wireless Rundle Keyboard & Mouse Intel 802.11 AC + Bluetooth 2x3W speaker + 150W Adapter Black / White Windows 10 / Windows 11

24 Month GREEN Guarantee

AiO (All in One) GX24-i518S ASUS H410T/H610T Intel Core i5 Series 8GB DDR4 2400/3200MHz 1TB HDD + 120GB M.2 SSD 23.8" FHD 1920x1080 VA Panel Intel Graphics 630/730 HDMI + Display Port

Gigabit LAN + COM Port USB3.1 + USB2.0 + Audio Rundle Keyboard & Mouse Intel 802.11 AC + Bluetooth 2x3W speaker + 150W Adapter Black / White Windows 10 / Windows 11

24 Month GREEN Guarantee

GX24-i718S ASUS H410T/H610T Intel Core i7 Series 8GB DDR4 2400/3200MHz 1TB HDD + 240GB M.2 SSD 23.8" FHD 1920x1080 VA Panel Intel Graphics 630/730 HDMI + Display Port Gigabit LAN + COM Port

USB3.1 + USB2.0 + Audio

AiO (All in One)

GREEN Wireless Rundle Keyboard & Mouse Intel 802.11 AC + Bluetooth 2x3W speaker + 150W Adapter Black / White Windows 10 / Windows 11

24 Month GREEN Guarantee

GREEN







- Göz Alıcı ve Kompakt Tasarım
- Yüksek Kaliteli Kenarlıksız Tam HD Ekran
- Geniş İzleme Açısı ve Eşsiz Kontrasta Sahip Üstün Kaliteli VA Panel
 - Intel'in 10., 9. ve 8. Nesillerini Destekleme Özelliğine Sahip
 - Modern Platformla Donatilmiştir
- Kullanıcı Tarafından Yükseltme ve Periyodik Servis İmkanı (Garanti Bittikten Sonra)
- WiFi 802.11ac + Bluetooth 4.2 gibi Intel'in Kablosuz Ağ Modülleriyle Donatılmıştır
 - Ultra Hızlı Depolama Aygıtını Destekleme Yeteneğiyle Donatılmış m.2 Yuvası





























AIO ALL IN ONE HEPSI BIR ARADA



intel	intel	intel	intel	POWERED BY
CORE	CORE	CORE	PENTIUM	
i7	i5	i3	9010	/BUS

22 IIICI	I — N410 I/ N	DIOI DELIES	REEN All IN ONE	22 Powered By <i>I</i>	4505
Type	AiO (All in One)				
Model	GX22-P14	GX22-i314	GX22-i318S	GX22-i518S	GX22-i718S
Motherboard	ASUS H410T/H610T				
CPU	Intel Pentium Gold Series	Intel Core i3 Series	Intel Core i3 Series	Intel Core i5 Series	Intel Core i7 Series
RAM	4GB DDR4 2400/3200MHz	4GB DDR4 2400/3200MHz	8GB DDR4 2400/3200MHz	8GB DDR4 2400/3200MHz	8GB DDR4 2400/3200MHz
Storage	1TB HDD	1TB HDD	1TB HDD + 120GB M.2 SSD	1TB HDD + 120GB M.2 SSD	1TB HDD + 240GB M.2 SSD
Display Screen	21.5" FHD 1920x1080 VA Panel	21.5" FHD 1920x1080 VA Panel	21.5" FHD 1920x1080 VA Panel	21.5" FHD 1920x1080 VA Panel	21.5" FHD 1920x1080 VA Panel
GPU	Intel Graphics 610/710	Intel Graphics 630/730	Intel Graphics 630/730	Intel Graphics 630/730	Intel Graphics 630/730
	HDMI + Display Port				
I/O Ports	Gigabit LAN + COM Port				
	USB3.1 + USB2.0 + Audio				
Mouse/Keyboard	GREEN Wireless				
iviouse/ Reyboard	Bundle Keyboard & Mouse	Bundle Keyboard & Mouse	Bundle Keyboard & Mouse	Bundle Keyboard & Mouse	Bundle Keyboard & Mouse
Misc	Intel 802.11 AC + Bluetooth	Intel 802.11 AC + Bluetooth	Intel 802.11 AC + Bluetooth	Intel 802.11 AC + Bluetooth	Intel 802.11 AC + Bluetooth
IVIISC	2x3W speaker + 150W Adapter	2x3W speaker + 150W Adapter	2x3W speaker + 150W Adapter	2x3W speaker + 150W Adapter	2x3W speaker + 150W Adapter
Color	Black / White				
os	Windows 10 / Windows 11				
Guarantee	24 Month GREEN Guarantee	24 Month GREEN Guarantee	24 Month GREEN Guarantee	24 Month GREEN Guarantee	24 Month GREEN Guarantee

GREEN







- Göz Alıcı ve Kompakt Tasarım
- Yüksek Kaliteli Kenarlıksız Tam HD Ekran
- Geniş İzleme Açısı ve Eşsiz Kontrasta Sahip Üstün Kaliteli VA Panel
 - Intel'in 10., 9. ve 8. Nesillerini Destekleme Özelliğine Sahip
 - Modern Platformla Donatilmiştir
- Kullanıcı Tarafından Yükseltme ve Periyodik Servis İmkanı (Garanti Bittikten Sonra)
- WiFi 802.11ac + Bluetooth 4.2 gibi Intel'in Kablosuz Ağ Modülleriyle Donatılmıştır
 - Ultra Hızlı Depolama Aygıtını Destekleme Yeteneğiyle Donatılmış m.2 Yuvası























AIO ALL IN ONE HEPSI BIR ARADA













22 inch - H410T/H610T Series GREEN All in One 22" Powered By ASUS

Type	AiO (All in One)	
Model	GX24-P14	
Motherboard	ASUS H410T/H610T	
CPU	Intel Pentium Gold Series	
RAM	4GB DDR4 2400/3200MHz	
Storage	1TB HDD	
Display Screen	23.8" FHD 1920x1080 VA Panel	23
GPU	Intel Graphics 610/710	
	HDMI + Display Port	
I/O Ports	Gigabit LAN + COM Port	
	USB3.1 + USB2.0 + Audio	
Mouse/Keyboard	GREEN Wireless	
wouse/Reyboard	Bundle Keyboard & Mouse	
Misc	Intel 802.11 AC + Bluetooth	
Wilde	2x3W speaker + 150W Adapter	2>
Color	Black / White	
OS	Windows 10 / Windows 11	
Guarantee	24 Month GREEN Guarantee	2

AiO (All in One)
GX24-i314
ASUS H410T/H610T
Intel Core i3 Series
4GB DDR4 2400/3200MHz
1TB HDD
3.8" FHD 1920x1080 VA Panel
Intel Graphics 630/730
HDMI + Display Port
Gigabit LAN + COM Port
USB3.1 + USB2.0 + Audio
GREEN Wireless
Bundle Keyboard & Mouse
Intel 802.11 AC + Bluetooth
x3W speaker + 150W Adapter
Black / White
Windows 10 / Windows 11
24 Month GREEN Guarantee

AiO (All in One)
GX24-i318S
ASUS H410T/H610T
Intel Core i3 Series
8GB DDR4 2400/3200MHz
1TB HDD + 120GB M.2 SSD
3.8" FHD 1920x1080 VA Panel
Intel Graphics 630/730
HDMI + Display Port
Gigabit LAN + COM Port
USB3.1 + USB2.0 + Audio
GREEN Wireless
Bundle Keyboard & Mouse
Intel 802.11 AC + Bluetooth
x3W speaker + 150W Adapter
Black / White
Windows 10 / Windows 11
24 Month GREEN Guarantee

AiO (All in One)	
GX24-i518S	
ASUS H410T/H610T	
Intel Core i5 Series	
8GB DDR4 2400/3200MHz	
1TB HDD + 120GB M.2 SSD	
23.8" FHD 1920x1080 VA Panel	
Intel Graphics 630/730	
HDMI + Display Port	
Gigabit LAN + COM Port	
USB3.1 + USB2.0 + Audio	
GREEN Wireless	
Bundle Keyboard & Mouse	
Intel 802.11 AC + Bluetooth	
2x3W speaker + 150W Adapter	
Black / White	
Windows 10 / Windows 11	

24 Month GREEN Guarantee

AiO (All in One)
GX24-i718S
ASUS H410T/H610T
Intel Core i7 Series
8GB DDR4 2400/3200MHz
1TB HDD + 240GB M.2 SSD
23.8" FHD 1920x1080 VA Panel
Intel Graphics 630/730
HDMI + Display Port
Gigabit LAN + COM Port
USB3.1 + USB2.0 + Audio
GREEN Wireless
Bundle Keyboard & Mouse
Intel 802.11 AC + Bluetooth
2x3W speaker + 150W Adapter
Black / White
Windows 10 / Windows 11
24 Month GREEN Guarantee

GREEN







- Göz Alıcı ve Kompakt Tasarım
- Yüksek Kaliteli Kenarlıksız Tam HD Ekran
- Geniş İzleme Açısı ve Eşsiz Kontrasta Sahip Üstün Kaliteli VA Panel
 - Intel'in 10., 9. ve 8. Nesillerini Destekleme Özelliğine Sahip
 - Modern Platformla Donatilmiştir
- Kullanıcı Tarafından Yükseltme ve Periyodik Servis İmkanı (Garanti Bittikten Sonra)
- WiFi 802.11ac + Bluetooth 4.2 gibi Intel'in Kablosuz Ağ Modülleriyle Donatılmıştır
 - Ultra Hızlı Depolama Aygıtını Destekleme Yeteneğiyle Donatılmış m.2 Yuvası
- İstediğiniz Yönde Kolay Ayarlama İçin 4D Ayak. Eğme, Döndürme, Döndürme ve Yükseklik Ayarı

































OCDG GROUP

OVERCLOCKING DG ULTRA-HIGH EFFICIENT PSU

1350 WATT | 1200 WATT | 1050 WATT

Günümüzde, olağanüstü performansa sahip ve en modern parçalarla donatılmış dijital güç kaynakları bulunmaktadır.



DIGITALLY CONTROLLED SWITCHING POWER SUPPLY

GP1350B-OCDG				135	0 Watt
AC INPUT CONDITIONS	100-24	0 Vac 50-	60Hz 15A ı	max Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	25A	25A	112.5A	0.3A	3A
COMBINED WATTAGE	130)W	1350W	3.6W	15W
TOTAL WATTAGE	13	350 Watt Co	ntinuous Po	wer at 50° C	
GP1200B-OCDG				120	0 Watt
AC INPUT CONDITIONS	100-24	0 Vac 50-	60Hz 15A	max Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	25A	25A	100A	0.3A	3A
COMBINED WATTAGE	130)W	1200W	3.6W	15W
TOTAL WATTAGE	12	200 Watt Co	ntinuous Po	wer at 50° C	
GP1050B-OCDG				105	0 Watt
AC INPUT CONDITIONS	100-24	0 Vac 50-	60Hz 15A	max Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	25A	25A	87.5A	0.3A	3A







COMBINED WATTAGE

TOTAL WATTAGE



130W





1050W

1050 Watt Continuous Power at 50° C



3.6W













GREEN

OCPT GROUP

850 WATT

750 WATT

650 WATT

Performansla birlikte eşsiz bir set.

OVERCLOCKING EVO ULTRA-HIGH EFFICIENT PSU



ULTRA EFFICIENT SWITCHING POWER SUPPLY

ACTIVE OT CONDITIONS	100-240 Vac 30-00112 13A 111aX ACTIVE FFC				
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	25A	25A	70.5A	0.3A	4A
COMBINED WATTAGE	130	W	846W	3.6W	20W
TOTAL WATTAGE	850 Watt Continuous Power at 50° C				
GP750B-OCPT				750	Watt
GP750B-OCPT AC INPUT CONDITIONS	100-24	0 Vac 50-6	50Hz 10A i		
	100-24 +5V	0 Vac 50-6 +3.3V	50Hz 10A i +12V		
AC INPUT CONDITIONS				max Active	PFC

GP650B-OCPT				650	Watt
AC INPUT CONDITIONS	100-24	0 Vac 50-	60Hz 10A r	nax Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	22A	22A	54.2A	0.3A	4A
COMBINED WATTAGE	120	W	650W	3.6W	20W
TOTAL WATTAGE	6	50 Watt Co	ntinuous Pov	ver at 50° C	





TOTAL WATTAGE







750 Watt Continuous Power at 50° C

















www.green.net.tr

HP EVO GROUP

800 WATT

700 WATT

600 WATT

Modern tasarım ve yüksek performans





ATX 12V V2.52 SWITCHING POWER SUPPLY

GP800B-HP EVC)			800) Watt
AC INPUT CONDITIONS	100-24	10 Vac 50-6	50Hz 10A r	max Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	22A	22A	66.67A	0.3A	3A
COMBINED WATTAGE	12	0W	800W	3.6W	15W
TOTAL WATTAGE	8	00 Watt Cor	ntinuous Pov	ver at 50° C	

GP700B-HP EVO							700	Watt	h
AC INPUT CONDITIONS	100-24	0 Vac	50-6	50Hz	10A r	nax	Active	PFC	
DC OUTPUT VOLTAGE	+5V	+3.3	V	+1	2V	-1	.2V	+5V-SB	
DC OUTPUT CURRENT	22A	22/	A	58	.3A	0.	.3A	3A	
COMBINED WATTAGE	120	WC		70)W	3.	6W	15W	
TOTAL MAINTENCE	7	00 14/24	+ Cor	tinuo	uc Boy	vor at	EO C		

GP600B-HP EVO				600	Watt
AC INPUT CONDITIONS	100-2	40 Vac 50	-60Hz 8A n	nax Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	20A	20A	50A	0.3A	3A
COMBINED WATTAGE	10	15W	600W	3.6W	15W
		-00 141-44 0-	adama na	L FOR C	

























•GREEN[®] www.green.net.tr

UK EVO GROUP

800 WATT

700 WATT

600 WATT

Yüksek kaliteli parçalar, verimlilik ve mükemmel performans



ATX 12V V2.53 SWITCHING POWER SUPPLY

GP800B-UK EVC						80	00 Watt
AC INPUT CONDITIONS	200-24	40 Vac	50-60	0Hz	10A m	ax Activ	re PFC
DC OUTPUT VOLTAGE	+5V	+3.3	3V	+1	2V	-12V	+5V-SB
DC OUTPUT CURRENT	20A	20/	4	66.6	66A	0.3A	3A
COMBINED WATTAGE	10	0W		800	W	3.6W	15W
TOTAL WATTAGE	800 Watt Continuous Power at 45° C						

GP700B-UK EVC)				7	00 Watt	h
AC INPUT CONDITIONS	200-24	40 Vac	50-6	0Hz 10A	max Ac	tive PFC	
DC OUTPUT VOLTAGE	+5V	+3.3	V	+12V	-12V	+5V-SB	
DC OUTPUT CURRENT	20A	20/	4	58.3A	0.3A	3A	
COMBINED WATTAGE	10	0W		700W	3.6W	15W	
TOTAL WATTAGE	7	nn Wat	t Cont	finuous Po	wer at 45	°C	

GP600B-UK EV)			600	Watt	١
AC INPUT CONDITIONS	200-24	10 Vac 50-	60Hz 8A n	nax Active	PFC	
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB	
DC OUTPUT CURRENT	20A	20A	50A	0.3A	3A	
COMBINED WATTAGE	100)W	600W	3.6W	15W	
TOTAL WATTAGE	6	00 Watt Cor	ntinuous Pov	ver at 45° C		



























www.green.net.tr **•GREEN**° **GED GROUP**

800 WATT

700 WATT

600 WATT

Çok yönlü ve uygun fiyatlar



GP800A-GED					80	0 Watt
AC INPUT CONDITIONS	200-	240 Vac	50Hz	5A ma:	x Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+	12V	-12V	+5V-SB
DC OUTPUT CURRENT	18A	18A	66	5.66A	0.3A	2.5A
COMBINED WATTAGE	110)W	8	00W	3.6W	12.5W
TOTAL WATTAGE	800 Watt Continuous Power at 50° C					

GP700A-GED					70	0 Watt
AC INPUT CONDITIONS	200-	240 Vac	50Hz	5A max	Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+	12V	-12V	+5V-SB
DC OUTPUT CURRENT	18A	18A	58	3.33A	0.3A	2.5A
COMBINED WATTAGE	110)W	70	00W	3.6W	12.5W
TOTAL WATTAGE	700 Watt Continuous Power at 50° C					

GP600A-GED					60	0 Watt	
AC INPUT CONDITIONS	200-	240 Vac	50Hz	5A max	Active P	FC	
DC OUTPUT VOLTAGE	+5V	+3.3V	4	-12V	-12V	+5V-SB	
DC OUTPUT CURRENT	18A	18A		50A	0.3A	2.5A	
COMBINED WATTAGE	110W			00W	3.6W	12.5W	
TOTAL WATTAGE	6	600 Watt Continuous Power at 50° C					

























GREEN

www.green.net.tr

EUD GROUP

EXTRA UTILITY

PC SWITCHING POWER SUPPLY

580 WATT

530 WATT

480 WATT

Temel güç kaynaklarında essiz bir performans denevimi **430 WATT**



GP580A-EUD					580) Watt	١
AC INPUT CONDITIONS	200-2	240 Vac 5	50Hz	5.5A m	ax Active F	FC	
DC OUTPUT VOLTAGE	+5V	+3.3V	4	-12V	-12V	+5V-SB	
DC OUTPUT CURRENT	20A	20A	4	8.3A	0.3A	2.5A	
COMBINED WATTAGE	110	OW	5	80W	3.6W	12.5W	
TOTAL WATTAGE	5	80 Watt C	ontinu	ous Pov	ver at 50° C		

GP530A-EUD				530	0 Watt
AC INPUT CONDITIONS	200-	240 Vac 5	0Hz 5A ma	x Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	20A	20A	44.1A	0.3A	2.5A
COMBINED WATTAGE	110)W	530W	3.6W	12.5W
TOTAL WATTAGE	5	30 Watt Co	ntinuous Pou	er at 50° C	

GP480A-EUD				48	0 Watt			
AC INPUT CONDITIONS	200-2	40 Vac 5	0Hz 4.5A	max Active	PFC			
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB			
DC OUTPUT CURRENT	18A	18A	40A	0.3A	2.5A			
COMBINED WATTAGE	100)W	480W	3.6W	12.5W			
TOTAL WATTAGE	4	480 Watt Continuous Power at 50° C						



GP430A-EUD				43	0 Watt	
AC INPUT CONDITIONS	200-	240 Vac 5	OHz 4A ma	x Active P	FC	
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB	
DC OUTPUT CURRENT	18A	18A	35.8A	0.3A	2.5A	
COMBINED WATTAGE	100W		430W	3.6W	12.5W	
TOTAL WATTAGE	430 Watt Continuous Power at 50° C					



























www.green.net.tr

GREEN

ECO GROUP

ECONOMIC SERIES PC SWITCHING POWER SUPPLY

600 WATT | 550 WATT | 500 WATT

Temel güç kaynaklarında tasarım ve kombinasyon



GP600A-ECO				600) Watt
AC INPUT CONDITIONS	200-	240 Vac 5	0Hz 4A ma:	x Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	20A	24A	45A	0.3A	2.5A
COMBINED WATTAGE	120	W	540W	3.6W	12.5W
TOTAL WATTAGE	6	00 Watt Cor	ntinuous Pow	er at 40° C	

GP550A-ECO				550) Watt
AC INPUT CONDITIONS	200-	240 Vac 5	50Hz 4A ma	x Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	20A	24A	41A	0.3A	2.5A
COMBINED WATTAGE	120)W	492W	3.6W	12.5W
TOTAL WATTAGE	5	50 Watt Co	ntinuous Pov	ver at 40° C	













GP500A-ECO

AC INPUT CONDITIONS

DC OUTPUT VOLTAGE

DC OUTPUT CURRENT

COMBINED WATTAGE

TOTAL WATTAGE



+5V



200-240 Vac

120W

+3.3V

50Hz 4A max

+12V

36A

432W

500 Watt Continuous Power at 40° C

GREEN

www.green.net.tr

500 Watt

+5V-SB

2.5A

12.5W

Active PFC

-12V

3.6W

ECO GROUP

ECONOMIC SERIES PC SWITCHING POWER SUPPLY

450 WATT | 400 WATT

350 WATT

Temel güç kaynaklarında tasarım ve kombinasyon

300 WATT



GP450A-ECO				450) Watt
AC INPUT CONDITIONS	200-	240 Vac 5	OHz 4A ma	x Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	20A	24A	33A	0.3A	2.5A
COMBINED WATTAGE	120)W	396W	3.6W	12.5W
TOTAL WATTAGE	4	50 Watt Co	ntinuous Pov	ver at 40° C	

GP400A-ECO				400) Watt
AC INPUT CONDITIONS	200-	240 Vac 5	0Hz 4A ma:	x Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	15A	21A	30A	0.3A	2.5A
COMBINED WATTAGE	103	W	360W	3.6W	12.5W
TOTAL WATTAGE	40	00 Watt Co	ntinuous Pow	er at 40° C	

GP350A-ECO				350) Watt
AC INPUT CONDITIONS	200-2	40 Vac 5	0Hz 3.5A m	ax Active	PFC
DC OUTPUT VOLTAGE	+5V	+3.3V	+12V	-12V	+5V-SB
DC OUTPUT CURRENT	15A	21A	26A	0.3A	2.5A
COMBINED WATTAGE	103	3W	312W	3.6W	12.5W
TOTAL WATTAGE	3	50 Watt Co	ontinuous Pov	ver at 40° C	



GP300A-ECO					300) Watt
AC INPUT CONDITIONS	200-	240 Vac	50Hz	3A max	Active P	FC
DC OUTPUT VOLTAGE	+5V	+3.3V	+	12V	-12V	+5V-SB
DC OUTPUT CURRENT	15A	21A	2	23A	0.3A	2.5A
COMBINED WATTAGE	103	3W	2	76W	3.6W	12.5W
TOTAL WATTAGE	3	00 Watt 0	Continu	ous Pow	er at 40° C	





















GP350-S12

Doğru ve garantili performans





Dimensions (height x width x lengths) Input voltage range When it provides maximum energy Protective guards

Average useful life (MTBF)

215mm x 115mm x 30mm

100-120Vac / 200-240Vac OVP, OCP, SCP (Auto Recovery) 270.000hrs @ 25°C





GP150-S12 Dimensions (height x width x lengths) Input voltage range When it provides maximum energy

28

Protective guards Average useful life (MTBF)

159mm x 97mm x 30mm 100-120Vac / 200-240Vac OVP, OCP, SCP (Auto Recovery) 320.000hrs @ 25°C

GP350-S12 12V/29A (350W)

Dimensions (height x width x lengths) 215mm x 115mm x 30mm Input voltage range 100-120Vac / 200-240Vac When it provides maximum energy Protective guards OVP, OCP, SCP (Auto Recovery) 270.000hrs @ 25°C Average useful life (MTBF)





GP150-S12 Dimensions (height x width x lengths)

Input voltage range When it provides maximum energy Protective guards Average useful life (MTBF)

159mm x 97mm x 30mm

100-120Vac / 200-240Vac OVP, OCP, SCP (Auto Recovery) 320.000hrs @ 25°C





GP100-S12

Dimensions (height x width x lengths) 129mm x 97mm x 30mm Input voltage range 100-240Vac RMS When it provides maximum energy OVP, OCP, SCP (Auto Recovery) Protective guards Average useful life (MTBF) 320.000hrs @ 25°C

PSU TESTER



ATX12V

- Tüm ortak soketleri destekleyen dijital bilgisayar güç kaynağı test cihazı
- Ana güç çıkış voltajlarının seviyesini okuyabilen bir ekrana sahiptir.
- P.G süresini (temel voltajın %95'ine ulaşma süresi) görüntüleme yeteneği

VERTICAL VGA MOUNTING KIT

PCI-E 4.0 X16



- 4. nesil PCle x16 kartlarıyla uyumlu
- Elektromanyetik dalgalara karşı tam koruma
- Daha kolay kurulum için esnek yapı

	Specifications
Type	Riser Cable
Expansion Slot	1 x PCI-e 4.0 x16
Extension Cable Length	200mm
Material	PCBA & Copper Flat Wire
Dimensions (LxWxH)	230x30x150mm
Weight / Color	75g / Black

RACKMOUNT SLIDING RAIL

26" BALL BEARING



Raf montaj kasasını RACK üzerine monte etmek için özel ray sistemi

	Specifications
Minimum Length	65cm
Body Material	Steel With a Thickness Of 2mm
Body Components	Three Pieces With Separable Components
Movement System	Benefit From Linear Bearings
Weight bearing	Up to 35kg
Installation Method	Quick And Easy Installation
Compatibility	Compatible With 80cm To 100cm Depth Racks

GRIFFIN GAMING MOUSE PAD



 Gaming Mous 	se Pad 700-L
Type	Extended Gaming Mouse Pad
Surface Material	Polyester Fabric Texture (Speedy Mouse Movements)
Base Material	Wave-Shaped Rubber (Anti-Slip)
Dimensions (mm)	700-L x 355-W x 3.5-H
Weight	425g
Color	Black-Green / Black-Orange
Coming Mou	- PI 300 C
Gaming Mous	se Pad 300-S
Type	Extended Gaming Mouse Pad

Gaming Mous	e Pau 300-3
Type	Extended Gaming Mouse Pad
Surface Material	Polyester Fabric Texture (Speedy Mouse Movements)
Base Material	Wave-Shaped Rubber (Anti-Slip)
Dimensions (mm)	300-L x 250-W x 3.5-H
Weight	175g
Color	Black-Green / Black-Orange







	Specifications
Type	Silicone-based Thermal Paste
Model	GT-4 Premium
Color	Gray
Weight	4 Grams
Times It Can Be Used	8 To 15 Times
Operating Temperature Range	~40 °C / +240 °C
Heat Transfer Ratio	5.0W/m.K

www.green.net.tr **GREEN**

THERMAL PASTE

NOTUS400-PWM HEAT-PIPE CPU COOLER UNIVERSAL CPU SOCKET





23dBA Max / 68 CFM / Hydraulic Bearing / 7-Black Blades



HEATPIPE CPU COOLER

Heat-Pipe CPU Cooler - Universal CPU Socket Compatible Type 4 x 6mm Heat-Pipe (U Shaped) Heat-Pipe Design Weight 490g (without Fan) / 615g (with 120mm Fan) Material Copper Heatpipe and Aluminum Heatsinl Heat-Sink Dimension 130.6x62x156.5mm (LxWxH) Without Fan

GREEN GT-4 Thermal Grease / 2.67g

Thermal Grease

Full Dimension 130.6x96x156.5mm (LxWxH) With 120mm Far 120x25x120mm (LxWxH) / 1000-1700 RPM / 4-pin PWM Cooling Fan Design

NOTUS200-PWM





HEATPIPE CPU COOLER

Heat-Pine CPU Cooler - Universal CPU Socket Compatible Type Heat-Pipe Design 3 x 6mm Heat-Pipe (U Shaped)

Weight 280g (without Fan) / 370g (with 100mm Fan) Material Copper Heatpine and Aluminum Heatsin Heat-Sink Dimension 111x55x147 (LxWxH) Without Fan

Full Dimension 111x82x147 (LxWxH) With 100mm Fan Cooling Fan Design 100x25x100mm (LxWxH) / 1000-2100 RPM / 4-pin PWM

22dBA Max / 58.5 CFM / Hydraulic Bearing / 7-Black Blades

Thermal Grease GREEN GT-4 Thermal Grease / 2.67s

NOTUS95-PWM









Heat-Pine CPU Cooler - Universal CPU Socket Compatible Heat-Pipe Design 2 x 6mm Heat-Pipe (U Shaped)

260g (without Fan) / 345g (with 100mm Fan) Weight Material Copper Heatpipe and Aluminum Heatsink Heat-Sink Dimension 103x63x130mm (LxWxH) Without Fan

Full Dimension 103x78x130mm (LxWxH) With 90mm Fan Cooling Fan Design 100x25x100mm (LxWxH) / 1000-2100 RPM / 4-pin PWM

23dBA Max / 54.5 CFM / Hydraulic Bearing / 7-Black Blades

Thermal Grease GREEN GT-4 Thermal Grease / 2.67g

NOTUS400-ARGB









Type Heat-Pipe CPU Cooler - Universal CPU Socket Compatible

Weight Materia

Heat-Sink Dimension Full Dimension Cooling Fan Design

Thermal Grease

4 x 6mm Heat-Pipe (U Shaped) Heat-Pipe Design

550g (without Fan) / 650g (with 120mm ARGB Fan) Copper Heatpipe and Aluminum Heatsink 131x51x160mm (LxWxH) Without Fan

131x76x160mm (LxWxH) With 120mm Fan

120x25x120mm (LxWxH) / 600-1800 RPM / 4-pin PWM 28dBA Max / 70 CFM / Hydro Bearing / 7-Black Blades

GREEN GT-6 Thermal Grease / 1.5g

NOTUS 100-PWM



HEATPIPE CPU COOLER

Heat-Pine CPU Cooler - Universal CPU Socket Compatible Type

Heat-Pipe Design 2 x 6mm Heat-Pipe (U Shaped) Weight 260g (without Fan) / 345g (with 100mm Fan) Material Copper Heatpipe and Aluminum Heatsink

Heat-Sink Dimension 103x63x130 (LxWxH) Without Fan Full Dimension 103x78x130 (LxWxH) With 90mm Fan Cooling Fan Design 100x25x100mm (LxWxH) / 1000-2100 RPM / 4-pin PWM

23dBA Max / 54.5 CFM / Hydraulic Bearing / 7-Black Blades

Thermal Grease GREEN GT-4 Thermal Grease / 2.67e

TINYCOOL 90









Flower Heat-Sink CPLI Cooler Heat-Pipe Design 98 x Blade Heat-Sink (O Shaped) Weight 211g (with 90mm Fan) Material Aluminum Heatsink

Heat-Sink Dimension Full Dimension

112x108x53mm (LxWxH) 112x108x53mm (LxWxH) With 90mm Fan Cooling Fan Design

2000 RPM / 3-pin / 20-22dBA / 43.4CFM / Hydraulic Bearing 7-Dark Transparent Blades

Thermal Grease EC Thermal Grease / 1g

www.green.net.tr

GLACIER ARGB 360/240/120

CPU WATER COOLING

ARGB LIQUID COOLING SYSTEM

UNIVERSAL INTEL/AMD CPU SOCKET COMPATIBILITY



360mm / 240mm / 120mm AiO Water Cooling System

Type
Radiator Dimensions
Fan Quantity
Fan Dimensions
Fan Speed
Fan Airflow
Fan Air Pressure
Fan Life Span
Fan Noise twel
Fan Connector
Water Block Copper Base
Water Tube Type
Water Tube Length / Diameter
Pump Life Span
Pump Noise Level
Thermal Paste

397x120x27mm
3 x 120mm ARGB Fan
120x120x26mm
800-2100RPM ±5%
80CFM max (For Each Fan)
3.2mmH20 Max (For Each Fan)
>100,000 Hours
19-26 dBA
4-Pin PWM / 3-Pin 5v ARGB
0.15 Micro Channel Copper Base Technology
Rubber Braided Large Diameter Tubes
475mm / 12.5mm
80000 Hours

360 Water Cooling

80000 Hours
<19 dBA
GREEN GT-4 Premium (1.5g Tube)
Intel: LGA2066, LGA2011, 1366, 115X, 1200
AMD: STR4,TRX40, AM4, AM3+,AM2+,FM2+

240 Water Cooling
274x120x27mm
2 x 120mm ARGB Fan
120x120x26mm
800-2100RPM ±5%
80CFM max (For Each Fan)
3.2mmH20 Max (For Each Fan)
>= 100,000 Hours
19-26 dBA
4-Pin PWM / 3-Pin Sv ARGB
0.15 Micro Channel Copper Base Technology
Rubber Braided Large Diameter Tubes
315mm / 12.5mm / 12

80000 Hours
<19 dBA
GREEN GT-4 Premium (1.5g Tube)
Intel: LGA2066, LGA2011, 1366, 115X, 1200
AMD: sTRA,TRX40, AM4, AM3+,AM2+,FM2+

120 Water Cooling 157x120x27mm 1 x 120mm ARGB Fan 120x120x26mm 800-2100RPM +5% 80CFM max (For Each Fan) 3.2mmH2O Max (For Each Fan) >100,000 Hours 19-26 dBA 4-Pin PWM / 3-Pin 5v ARGB 0.15 Micro Channel Copper Base Technology Rubber Braided Large Diameter Tubes 315mm / 12.5mm 80000 Hours <19 dBA GREEN GT-4 Premium (1.5g Tube)

























Intel: LGA2066, LGA2011, 1366, 115X, 1200

AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+



GLACIER EVO 360/240/120

CPU WATER COOLING

DIGITAL LIQUID COOLING SYSTEM IINIVERSAL INTEL/AMD CPIL SOCKET COMPATIBILITY







360mm / 240mm / 120mm AiO Water Cooling System

395x120x27mm

R v 120mm with Red LED

120x120x26mm

800-2000RPM +5%

86CFM max (For Each Fan)

3.8mmH2O Max (For Each Fan)

>100,000 Hours

19-28 dBA

A-Din D\A/NA

Radiator Dimensions Fan Quantity Fan Dimensions Fan Speed Fan Airflow Fan Air Pressure Fan Life Span Fan Noise Level Fan Connector Water Block Copper Base Water Tube Type Water Tube Length / Diameter Pump Life Span Pump Noise Level Thermal Paste CPU Socket

0.15 Micro Channel Copper Base Tech Rubber Braided Large Diameter Tubes 475mm / 12.5mm 80000 Hours <19 dBA GREEN GT-4 Premium (1.5g Tube) Intel: LGA2066, LGA2011, 1366, 115X, 1200 AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+ Indicator For Water Pump RPM And Coolant Temperature

274x120x27mm v 120mm with Red LED 120x120x26mm 800-2000RPM +5% 86CFM max (For Each Fan) 3.8mmH2O Max (For Each Fan) >100,000 Hours

19-28 dBA A-Din D\A/NA 0.15 Micro Channel Copper Base Tech Rubber Braided Large Diameter Tubes 315mm / 12.5mm 80000 Hours <19 dBA GREEN GT-4 Premium (1.5g Tube)

Intel: LGA2066, LGA2011, 1366, 115X, 1200 AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+ Indicator For Water Pump RPM And Coolant Temperature

120 Water Cooling 154x120x27mm v 120mm with Red LED 120x120x26mm

800-2000RPM +5% 86CFM max (For Each Fan) 3.8mmH2O Max (For Each Ean)

>100,000 Hours 19-28 dBA A-Din D\A/NA

0.15 Micro Channel Copper Base Technology Rubber Braided Large Diameter Tubes 315mm / 12.5mm

80000 Hours <19 dBA

GREEN GT-4 Premium (1.5g Tube) Intel: LGA2066, LGA2011, 1366, 115X, 1200 AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+ Indicator For Water Pump RPM

And Coolant Temperature























GLACIER 360/240/120

CPU WATER COOLING

HYPER LIQUID COOLING SYSTEM



360mm / 240mm / 120mm AiO Water Cooling System

Type
Radiator Dimensions
Fan Quantity
Fan Dimensions
Fan Speed
Fan Airflow
Fan Air Pressure
Fan Life Span
Fan Noise Level
Fan Connector
Water Block Copper Base
Water Tube Type
Water Tube Length / Type
Pump Life Span
Pump Noise Level
Thermal Paste

360 Water Cooling 395x120x27mm 3 x 120mm 120x120x26mm 800-2200RPM ±5% 86.5CFM max (For Each Fan) 3.8mmH20 Max (For Each Fan) 100,000 Hours 19-35 dBA 4-Pin PWM

1593 uach
4-Pin PWM
0.15 Micro Channel Copper Base Technology
Rubber Braided Large Diameter Tubes
450mm / Ultra Durable FEP Polymer
70000 Hours
<25 dBA
GREEN GT-4 Premium (1.5g Tube)

Intel: LGA2066, LGA2011, 1366, 115X, 1200

AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+

240 Water Cooling
274x120x27mm
2 x 120mm
120x120x26mm
800-2200RPM ±5%
86.5CFM max (For Each Fan)
3.8mmH20 Max (For Each Fan)
100.000 Hours

4-Pin PWM

0.15 Micro Channel Copper Base Technology
Rubber Braided Large Diameter Tubes

315mm / Ultra Durable FEP Polymer
70000 Hours

<25 dBA

19-35 dBA

GREEN GT-4 Premium (1.5g Tube)
Intel: LGA2066, LGA2011, 1366, 115X, 1200
AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+

120 Water Cooling



















Intel: LGA2066, LGA2011, 1366, 115X, 1200

AMD: sTR4,TRX40, AM4, AM3+,AM2+,FM2+

HURACAN FAN (FAN KIT)







HURACAN FAN GFK120M-ARGB (Fan Kit)

- Rifle Bearing
- 120x120x25mm Dimension
- 5V ARGB / 0.75A / 3.75 Watt
- 12V DC / 0.3A / 3.6 Watt
- 700 1500 RPM / 23 dBA Max • 1.75 mm-H2O Static Pressure
- 65 CFM Air Flow (Max)
- 100.000 Hrs @ 25°C MTBF
- Detachable Fan Blades
- Safety Approval (CE, TUV, UL)
- 4-pin PWM Connector + 3-pin 5v ARGB • Included 9 Channel Fan Hub + Remote
















GREEN®

GF120-RGB



120MM - HIGH AIRFLOW RGB FAN



- Fluid Shield Bearing (PWM FUNCTION)
- 120x120x25mm Dimension
- 5V-12V DC / 0.4A / 4.8 Watt
- 800 2100 RPM / 25 dBA Max
- 2.3 mm-H2O Static Pressure
- . 80 CFM Air Flow (Max)
- 100.000 Hrs @ 25°C MTBF
- Detachable Fan Blades
- · Shark's Fin Blade Design
- . Safety Approval (CE, TUV, UL)
- 4-pin PWM Connector + Molex • 4-Pin RGB Sync Header For Modern PCs

120MM - SILENT FAN















GF120-FSB



- Fluid Shield Bearing
- 120x120x25mm Dimension
- 12V-DC / 0.14A / 1.68 Watt
- 1100 RPM / 19 dBA • 1.45 mm-H2O Static Pressure
- 57 CFM Air Flow

- 100,000 Hrs @ 25°C MTBE
- · Detachable fan blades
- Shark's Fin blade design
- Safety Approval (CE, TUV, UL)
- 3-pin Connector + Molex















GF120-HAF



120 MM - HIGH AIRFLOW FAN

- . Fluid Shield Bearing (PWM FUNCTION)
- 120x120x25mm Dimension
- 5V-12V DC / 0.4A / 4.8 Watt
- 800 2100 RPM / 25 dBA Max • 2.3 mm-H2O Static Pressure
- . 80 CFM Air Flow (Max)
- 100,000 Hrs @ 25°C MTBE
- Detachable fan blades
- Shark's Fin blade design
- Safety Approval (CE, TUV, UL)
- 4-pin PWM Connector + Molex















ALL THE EXCITEMENT OF THE GAME WORLD AT YOUR FINGER TIPS...,



RGB BACKLIGHT MECHANICAL GAMING KEYBOARD





		SOFTWARE
Model	GK803 RGB	RGB
Туре	Full Size / 108 Key + Fn Hotkeys	KGD
Matarials	ABS Plastic / Aluminium	
Connectivity	USB 2.0 (180cm) / USB Bus Power +5V	
Size	446-L x 240-W x 48-H(mm) / 1260g Weigh	nt
Extra Feature	2 USB Pass Through Ports + Blue Mechani	cal Switch
OS Compatibility	Support Windows 10, 8, 7 and 11	

GK802 RGB

RGB BACKLIGHT MECHANICAL GAMING KEYBOARD



Model	GK802 RGB	RGB
Type	Full Size / 108 Key + Fn Hotkeys	KGB
Matarials	ABS Plastic / Aluminium	
Connectivity	USB 2.0 Type-A To Type-C (180cm) / USB E	Bus Power +5V
Size	435-L x 125-W x 34-H(mm) / 650g Weight	
Extra Feature	Blue Mechanical Switch for Satisfying Gam	e Sessions
OS Compatibility	Support Windows 10, 8, 7 and 11	

GK801 RGB

BACKLIGHT TKL MECHANICAL GAMING KEYBOARD



Model	GK801 RGB
Туре	TKL / 87 Key + Fn Hotkeys
Matarials	ABS Plastic / Metal
Connectivity	USB 2.0 Type-A To Type-C (180cm) / USB Bus Power +5V
Size	355-L x 125-W x 34-H(mm) / 540g Weight
Extra Feature	Blue Mechanical Switch for Satisfying Game Sessions
OS Compatibility	Support Windows 10, 8, 7 and 11

www.green.net.tr

GREEN°

GK703 RGB

RGB BACKLIGHT GAMING KEYBOARD





Model GK703 RGB Type Full Size / 108 Key + Fn Hotkeys Matarials ABS Plastic Connectivity USB 2.0 (180cm) / USB Bus Power +5V Size 445-L x 223-W x 34-H(mm) / 770g Weight Extra Feature OS Compatibility Support Windows 10, 8, 7 and 11

GK702 RGB

RGB BACKLIGHT GAMING KEYBOARD



Model		RGB
Туре	Full Size / 108 Key + Fn Hotkeys	KGD
Matarials	ABS Plastic	
Connectivity	USB 2.0 (180cm) / USB Bus Power +5V	
Size	496-L x 192-W x 40-H(mm) / 790g Weight	
Extra Feature	4 Macro Function Keys + 1 USB Pass Through	Ports
OS Compatibility	Support Windows 10, 8, 7 and 11	

GK701 RGB

RGB BACKLIGHT GAMING KEYBOARD



Model		RGB
Туре	Full Size / 108 Key + 14 Hotkeys	RGB
Matarials	ABS Plastic	
Connectivity	USB 2.0 (180cm) / USB Bus Power +5V	
Size	440-L x 165-W x 35-H(mm) / 510g Weight	
Extra Feature	14 Function Keys + Compact Key Layout	
OS Compatibility	Support Windows 10, 8, 7 and 11	









Model	GKM605 RGB
Type	Full Size / 108 Key + Fn Hotkeys
Matarials	ABS Plastic
Connectivity	USB 2.0 (150cm) / USB Bus Power +5V
Size	Keyboard: 455-L x 153-W x 36-H (mm) / 760 g Weight
OS Compatibility	Support Windows 10, 8, 7 and 11
Model	Advanced Optical Gaming Mouse
Resolution	800/1600/2400/3200/4800/6400 DPI
Resolution Materials	
	800/1600/2400/3200/4800/6400 DPI

GK601 RGB





Model	GK601 RGB	RGB
Type	Full Size / 108 Key + Fn Hotkeys	KGD
Matarials	ABS Plastic	
Connectivity	USB 2.0 (150 cm) / USB Bus Power +5V	
Size	Keyboard: 455-L x 153-W x 36-H (mm) / 760	g Weight
Extra Feature	Colorful LED Design + Features 12 Function	Keys
OS Compatibility	Support Windows 10, 8, 7 and 11	

GKM505W

BUNDLED WIRELESS KEYBOARD & MOUSE





Model	Wireless Official Multimedia Keyboard	(24)
Keys Number	116 Keys / 4-Button Mouse	WIRELESS
Matarials	ABS Plastic / Steel	
Connectivity	2.4GHz + Nano Receiver / AAA Battery	
Size	Keyboard: 443-L x 154-W x 23-H (mm) / 600g	Weight
OS Compatibility	Support Windows XP, Vista, 7, 8, 8.1,10	
Model	Wireless Optical Mouse	
Resolution	800/1200 DPI	
Materials	ABS Plastic	
Size	95 x 65 x 37 mm / 70 g Weight	
OS Compatibility	Support Windows XP Vista 10 8 7 and 11	

OFFICIAL MULTIMEDIA KEYBOARD



Model	
Keys Number	116 Keys
Matarials	ABS Plastic
Connectivity	USB 2.0 (145cm) / USB Bus Power +5V
Size	443-L x 154-W x 23-H (mm) / 565g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK501

OFFICIAL MULTIMEDIA KEYBOARD



Model	
Keys Number	117 Keys
Matarials	ABS Plastic
Connectivity	USB 2.0 (150cm) / USB Bus Power +5V
Size	465-L x 184-W x 22-H (mm) / 575 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK502

OFFICIAL MULTIMEDIA KEYBOARD



Model	
Keys Number	124 Keys
Matarials	ABS Plastic, Flat Metal Inside
Connectivity	USB 2.0 (185 cm) / USB Bus Power +5V
Size	465-L x 185-W x 25-H (mm) / 875 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK403

BACKLIGHT GAMING KEYBOARD



Model	
Keys Number	104 Keys With RGB Backlight
Matarials	ABS Plastic
Connectivity	USB 2.0 (150 cm)
Size	455-L x 153-W x 36-H (mm) / 760 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

BUNDLED WIRED KEYBOARD & MOUSE





Model	Wireless Official Multimedia Keyboard
Keys Number	114 Keys / 4-Button Mouse
Matarials	ABS Plastic
Connectivity	USB 2.0 (150cm) / USB Bus Power +5V
Size	Keyboard: 445-L x 165-W x 26-H (mm) / 595g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11
Model	Wireless Optical Mouse
Resolution	800/1200 DPI
Materials	ABS Plastic
Size	95 x 65 x 37mm / 70g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK302

OFFICIAL MULTIMEDIA KEYBOARD




Model	
Keys Number	114 Keys
Matarials	ABS Plastic
Connectivity	USB 2.0 (130 cm) / USB Bus Power +5V
Size	445-L x 165-W x 26-H (mm) / 525g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK306

MULTIMEDIA KEYBOARD





GK306W

WIRELESS MULTIMEDIA KEYBOARD



Model		(24)
Keys Number	104 Keys	WIRELESS
Matarials	ABS Plastic	
Connectivity	2.4GHz + USB Nano Receiver / 2xAAA Battery	
Size	449-L x 187-W x 30-H(mm) / 550g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

MULTIMEDIA KEYBOARD



Model	
Keys Number	104 Keys
Matarials	ABS Plastic
Connectivity	USB 2.0 (160 cm) / USB Bus Power +5V
Size	450-L x 145-W x 30-H (mm) / 500g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK301

ULTRA-SLIM MULTIMEDIA KEYBOARD



Model	GKM301
Keys Number	117 Keys
Matarials	ABS Plastic
Connectivity	USB 2.0 (150 cm) / USB Bus Power +5V
Size	425-L x 118-W x 28-H (mm) / 435g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GK102W

ULTRA-THIN MULTIMEDIA KEYBOARD



Model		(24)
Keys Number	84 Keys	WIRELESS
Matarials	ABS Plastic, Aluminium	
Connectivity	2.4GHz + USB Nano Receiver / 2xAAA Battery	
Size	288-L x 110-W x 21-H (mm) / 280 g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

GK101W

ULTRA-SLIM MULTIMEDIA KEYBOARD



Model		(24)
Keys Number	114 Keys	WIRELESS
Matarials	ABS Plastic	
Connectivity	2.4GHz + USB Nano Receiver / 2xAAA Battery	
Size	385-L x 118-W x 28-H (mm) / 400g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	



THE GAME WORLD IS WAITING FOR YOU IN THE PALM OF YOUR HAND,



GM606 RGB

ADVANCED OPTICAL GAMING MOUSE





		SOFTWARE
Туре	Advanced Optical Gaming Mouse	RGB
Resolution	1200/1600/2400/3200/4800/7200 DPI	KGD
Matarials	ABS Plastic	
Connectivity	USB 2.0, (180 cm) / USB Bus Power +5V	
Colors	Black	
Size	128-L x 65-W x 39-H (mm) / 75g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 1	1

GM605 RGB

ADVANCED OPTICAL GAMING MOUSE





U	SOFTWARE
Advanced Optical Gaming Mouse	RGB
1200/1600/2400/3200/4800/7200 DPI	KGB
ABS Plastic	
USB 2.0, (180 cm) / USB Bus Power +5V	
Black	
126-L x 70-W x 46-H (mm) / 114 g Weight	
Support Windows XP, Vista, 10, 8, 7 and 11	
	Advanced Optical Gaming Mouse 1200/1600/2400/3200/4800/7200 DPI ABS Plastic USB 2.0, (180 cm) / USB Bus Power +5V Black

GM604 RGB

OPTICAL GAMING MOUSE



Туре	Optical Gaming Mouse	RGB
Resolution	1200/1600/2000/3200 DPI	KGD
Matarials	ABS Plastic	
Connectivity	USB 2.0, (180cm) / USB Bus Power +5V	
Colors	Black	
Size	117-L x 77-W x 43-H(mm) / 97g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

★ GREEN* www.green.net.tr

GM603 RGB

OPTICAL GAMING MOUSE





Туре	Optical Gaming Mouse	RGB
Resolution	1200/1800/2400/3600 DPI	KGD
Matarials	ABS Plastic	
Connectivity	USB 2.0, (180cm) / USB Bus Power +5V	
Colors	Black	
Size	116-L x 64-W x 38-H (mm) / 74g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

GM602 RGB

ADVANCED OPTICAL GAMING MOUSE





	Optical Gaming Mouse	RGB
Resolution	800/1600/2400/3200/4800/6400 DPI	KGD
Materials	ABS Plastic	
Connectivity	USB 2.0 / 1.5 m	
Colors	Black	
Size	125 x 69 x 43mm / 98 g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

GM601



OPTICAL GAMING MOUSE

Туре	Optical Gaming Mouse (7 Buttons)	RGB
Resolution	2400, 1600, 1200, 800 DPI	KGB
Matarials	ABS Plastic	
Connectivity	USB 2.0, (150 cm) / USB Bus Power +5V	
Colors	Black / Orange Rubber	
Size	125-L x 88-W x 40-H (mm) / 115 g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

WIRELESS OPTICAL MOUSE





Туре	3D Optical Wireless Mouse	24
Resolution	800, 1600 DPI	WIRELESS
Matarials	ABS Plastic	
Connectivity	2.4GHz + USB Nano Receiver / 2xAAA Battery	
Colors	Black (Rubber & Shine)	
Size	104-L x 65-W x 37-H (mm) / 60g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

GM501W







Туре	3D Optical Wireless Mouse	(24)
Resolution	800, 1600 DPI	WIRELESS
Matarials	ABS Plastic	
Connectivity	2.4GHz + USB Nano Receiver / 2xAAA Battery	
Colors	Black	
Size	105-L x 65-W x 37-H (mm) / 60 g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

GM403W

WIRELESS OPTICAL MOUSE



	Wireless Optical Mouse (4 Buttons)	(24)
Resolution	1600, 1200, 800 DPI	WIRELESS
Matarials	ABS Plastic	
Connectivity	2.4GHz + USB Nano Receiver / 2xAAA Battery	
Colors	Black (Shine)	
Size	110-L x 60-W x 34-H (mm) / 60 g Weight	
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11	

GM402

ADVANCED OPTICAL GAMING MOUSE





	Colors
Туре	Optical Gaming Mouse (6 Buttons)
Resolution	2400, 1600, 1200, 800 DPI
Matarials	ABS Plastic
Connectivity	USB 2.0, (150cm) / USB Bus Power +5V
Colors	Black / Brown Rubber
Size	125-L x 68-W x 40-H (mm) / 128g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GM401

ADVANCED OPTICAL GAMING MOUSE





	Optical Gaming Mouse (6 Buttons)
Resolution	2400, 1600, 1200, 800 DPI
Matarials	ABS Plastic
Connectivity	USB 2.0, (150 cm) / USB Bus Power +5V
Colors	Black Rubber
Size	127-L x 72-W x 38-H (mm) / 110 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GM400

OFFICIAL OPTICAL MOUSE



Туре	Optical Mouse (3 Buttons)
Resolution	1000 DPI
Matarials	ABS Plastic
Connectivity	USB 2.0, (120 cm) / USB Bus Power +5V
Colors	Black
Size	110-L x 64-W x 38-H (mm) / 70 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

OFFICIAL OPTICAL MOUSE





4	Туре	Optical Official Mouse
	Resolution	800, 1600 DPI
	Matarials	ABS Plastic
	Connectivity	USB 2.0, (135cm) / USB Bus Power +5V
	Colors	Black (Rubber & Shine)
	Size	100-L x 63-W x 40-H (mm) / 90 g Weight
	OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GM301

OFFICIAL OPTICAL MOUSE





	Optical Official Mouse
Resolution	800, 1600 DPI
Matarials	ABS Plastic
Connectivity	USB 2.0, (135cm) / USB Bus Power +5V
Colors	Black (Rubber & Shine)
Size	94-L x 58-W x 37-H (mm) / 75 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

GM102

OFFICIAL OPTICAL MOUSE





Type	Optical Mouse
Resolution	800, 1200 DPI
Matarials	ABS Plastic
Connectivity	USB 2.0, (135cm) / USB Bus Power +5V
Colors	Black (Rubber & Shine)
Size	95-L x 65-W x 37-H (mm) / 70g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11

WIRELESS NOTEBOOK MOUSE



Matarials

Connectivity

ABS Plastic

 Colors
 Black (Rubber & Shine)

 Size
 89-L x 54-W x 35-H (mm) / 45 g Weight

 OS Compatibility
 Support Windows XP, Vista, 10, 8, 7 and 11

GM	1	N	1
UIVI	Ш	U	ш

OFFICIAL OPTICAL MOUSE





2.4GHz + USB Nano Receiver / 2xAAA Battery

Resolution	800 DPI (3000 Frames/Sec)
Matarials	ABS Plastic
Connectivity	USB 2.0, (135cm) / USB Bus Power +5V
Colors	Black (Rubber & Shine)
Size	98-L x 62-W x 37-H (mm) / 70 g Weight
OS Compatibility	Support Windows XP, Vista, 10, 8, 7 and 11




UPGRADE YOUR GAMING EXCELLENCE WITH THE LATEST TECHNOLOGY!,,







SERVER CHASSIS RACKMOUNT 4U







Rackmount 4 units

Outer compartment

Cooling system

Front panel ports

Type of skeleton

Lying case with the ability to be placed in a rock with a depth of more than 800 mm

Motherboard space

ATX, CEB, E-ATX (12" x 13")

Card slot and installation space 7 slots with the ability to install cards up to 380 mm long

External dimensions 605 mm | 430 mm | 176 mm (4-Unit)

Sheet material and thickness 1.0 mm Heavy Duty SECC (Steel Electrogavanized Cold-Rolled Coil)

Inner compartment

The ability to install 8 3.5" hard drives with a shock absorber installation too

Ability to install 3" 5.25" optical drives

Back (2.80 mm fans for air outlet (installed)

Back (2 80 mm lans for air outlet (installed

Front (2 120 mm fans for air intake (installed) with a filter on the door) Center (3 120 mm fans for air intake (installed)

USB 2.0 ports and 2 LAN LED's

Accessories Card holder clips Front panel door lock Dust filter on the front panel door

G520

SERVER CHASSIS RACKMOUNT 4U







Rackmount 4 unit

Type of skeleton Motherboard space Card slot and installation space

External dimensions Sheet material and thickness Inner compartment

Outer compartment Cooling system

Cooling system

Front panel ports
Accessories

Front (2 120 mm fans for air intake (installed) with a filter on the door)

ATX, CEB, E-ATX (12" x 13")

Ability to install 3" 5.25" optical drives

Back (2 80 mm fans for air outlet (installed)

2 USB 2.0 ports and LAN LEDs

panel ports 2 USB 2.0 ports and LAN LEDs

Card holder clips Front panel door lock Dust filter on the front panel door

Lying case with the ability to be placed in a rock with a depth of more than 700 mm

7 slots with the ability to install cards up to 330 mm long Length (depth) 505 mm Width (width) 430 mm Height (176 mm) 4-Unit

1.0 mm Heavy Duty SECC (Steel Electrogavanized Cold-Rolled Coil)
The ability to install 8 3.5" hard drives with a shock absorber installation tool

SERVER CHASSIS RACKMOUNT 4U







Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness

Outer compartment Cooling system

Front panel ports Accessories

Lying case with the ability to be placed in a rock with a depth of more than 600 mm

Micro ATX, ATX (12" x 9.6") 7 slots with the ability to install cards up to 265 mm long

605 mm | 430mm | 176mm (4-Unit) 1.0 mm Heavy Duty SECC (Steel Electrogavanized Cold-Rolled Coil)

Ability to install 9 "3.5" hard disks and 2 "2.5" hard disks

Ability to install 1" 5.25" optical drives

Back (2 80 mm fans for air outlet (installed)

Back (2 low-noise 80 mm fans for air outlet (installed)) Front (2 low-noise 120 mm fans for air intake (installed))

One USB 3.0 port and one USB 2.0 port

Front panel door lock Dust filter on the front panel door

G535

SERVER CHASSIS RACKMOUNT 2U







Lying case with the ability to be placed in a rock with a depth of more than 650 mm Type of skeleton Micro ATX, ATX (12" x 9.6") Motherboard space 7 slots with the ability to install cards up to 250 mm long Card slot and installation space 88 mm | 430 mm | 535 mm (2-Unit) External dimensions 1.0 mm Heavy Duty SECC (Steel Electrogavanized Cold-Rolled Coil) Sheet material and thickness The ability to install 6 hard disks 3.5" Inner compartment Ability to install 1 5.25" optical drive and 1 floppy disk Outer compartment Cooling system Back (1 80 mm fans for air outlet (installed) Back (2 low-noise 80 mm fans for air outlet (installed)) Front (2 low-noise 80 mm fans for air intake (installed)) One USB 3.0 port and one USB 2.0 port Front panel ports Front panel door lock Dust filter on the front panel door Accessories



ATX MID-TOWER PC CHASSIS













Type of skeleton

Motherboard space

Card slot and installation space Sheet material and thickness

Inner compartment Outer compartment

Cooling system

Front panel ports Accessories

Advance Mid Tower standing case Micro ATX, ATX (12" x 9.6")

7 slots with the ability to install cards up to 310 mm long (except the last 2 slots) Length (depth) 310 mm Width (width) 195 mm Height 425 mm

0.45 mm SECC (Steel Electrogavanized Cold-Rolled Coil Ability to install 2 hard disks "3.5" and 2 hard disks "2.5"

Ability to install 3" 5.25" optical drives

Back (1 low-noise 120mm fan for air outlet (installed)) Front (2 120mm fans for air intake (can be installed))

Side cover (1 120mm fan for air intake (installable)) 2 USB 2.0 ports and audio ports in HD Audio mode Ability to install water cooling radiator (120 mm)

AVA+



ATX MID-TOWER PC CHASSIS















www.green.net.tr

Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness Inner compartment

Outer compartment Cooling system

Front panel ports Accessories

Advance Mid Tower standing case Micro ATX, ATX (12" x 9.6")

7 slots with the ability to install cards up to 310 mm long (except the last 2 slots) Length (depth) 300 mm Width (width) 195 mm Height 425 mm 0.45 mm SECC (Steel Electrogavanized Cold-Rolled Coil) Ability to install 2 hard disks "3.5" and 3 hard disks "2.5"

Ability to install 2" 5.25" optical drives

Back (1 low-noise 120 mm fan for air outlet (installed) Front (3 120 mm fans for air intake (can be installed) Side cover (1 120 mm fan for air intake (installable) 2 USB 2.0 ports and audio ports in HD Audio mode

Ability to install a water cooling radiator (front 240/120mm)

ORAMAN+

ATX MID-TOWER PC CHASSIS















Suitable for common office and home systems

Type of skeleton Motherboard space

Card slot and installation space External dimensions Sheet material and thickness Inner compartment

Outer compartment Cooling system

Front panel ports Accessories Advance Mid Tower standing case Micro ATX, ATX (12" x 9.6")

7 slots with the ability to install cards up to 390 mm long Length (depth) 437 mm Width 205 mm Height 430 mm 0.7 mm SECC [Steel Electrogavanized Cold-Rolled Coil Ability to install 2 hard disks "3.5" and 2 hard disks "2.5" Ability to install 1 "5.25" optical drive

Back (1 low-noise 120 mm fan for air outlet (installed)) Front (2 120 mm fans for air intake (can be installed)) Side cover (1 120 mm fan for air intake (installable))

1 USB 3.0 port and 1 USB 2.0 port and audio ports in HD Audio mode
Ability to install a water cooling radiator (front 240/280 mm) (back 120 mm)

HOMA



ATX MID-TOWER PC CHASSIS













uitable for common office and home system

Type of skeleton

Motherboard space

Card slot and installation space

External dimensions

Sheet material and thickness Inner compartment

Outer compartment Cooling system

Front panel ports

Advance Mid Tower standing case Micro ATX, ATX (12" x 9.6")

7 slots with the ability to install cards up to 320 mm long (except the last 2 slots)
Length (depth) 380 mm Width (width) 195 mm Height 425 mm

0.45 mm SECC (Steel Electrogavanized Cold-Rolled Coil)
Ability to install 2 "3.5" hard disks and 3 "2.5" hard disks

Ability to install 1 "5.25" optical drive

Back (1 low-noise 120 mm fan for air outlet (installed))
Front (2 120 mm fans for air intake (can be installed))
Side cover (1 120 mm fan for air intake (installable))
2 USB 2.0 ports and audio ports in HD Audio mode

Ability to install a water cooling radiator (front 240/120 mm)

HIWA MID-TOWER















Type of skeleton

Motherboard space Card slot and installation space External dimensions Inner compartment Outer compartment

Sheet material and thickness Cooling system

Front panel ports

Advance Mid Tower standing case

Micro ATX, ATX (12" x 9.6") 7 slots with the ability to install cards up to 360 mm long on the first 4 slots Length (depth) 405 mm Width 195 mm Height 465 mm

0.5 mm SECC (Steel Electrogavanized Cold-Rolled Coil) Ability to install 3 "3.5" hard disks and 1 "2.5" hard disk

Ability to install 2" 5.25" optical drives Back (1 low-noise 120 mm fan for air outlet (installed)

Front (3 120 mm fans for air intake (can be installed)

Side cover (1 120 mm fan for air intake (installable) 2 USB 2.0 ports and audio ports in HD Audio mode

PARS EVO

















Type of skeleton Motherboard space Card slot and installation space

External dimensions Sheet material and thickness Inner compartment

Outer compartment Cooling system

Front panel ports

Advance Mid Tower standing case

Micro ATX, ATX (12" x 9.6") 7 slots with the ability to install cards up to 390 mm long (except the last 2 slots) Length (depth) 475 mm Width 200 mm Height 450 mm

0.7 mm SECC (Steel Electrogavanized Cold-Rolled Coil) Ability to install 2 "3.5" hard disks and 5 "2.5" hard disks Ability to install 1" 5.25" optical drives

Back (1 low-noise 120 mm fan for air outlet (installed) Front (2 120 mm fans for air intake (can be installed) Side cover (2 120 mm fan for air intake (installable)

Ceiling (2 120 mm fans for air intake (can be installed)) 1 USB3.0 port and 2 USB 2.0 ports and audio ports in HD Audio mode

Ability to install water cooling radiator (front 240/280 mm) (back 120 mm) | It has a magnetic anti-dust filter

ADVANCE MID-TOWER















Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness Inner compartment Outer compartment Cooling system

Front panel ports Accessories

Advance Mid Tower standing case

CEB, Micro ATX, ATX, Mini-ITX 8 slots with the ability to install cards up to 390mm long Length (depth) 475 mm Width 200 mm Height 485 mm

0.7 mm SECC (Steel Electrogavanized Cold-Rolled Coil) Ability to install 4 "3.5" hard disks and 2 "2.5" hard disks (5 combined) Ability to install 1 "5.25" optical drive

Back (1 low-noise 120 mm fan for air outlet (installed) Front (2 120 mm fans for air intake (can be installed)

Side cover (2 120 mm fan for air intake (installable)

1 USB 3.0 port and 2 USB2.0 ports and audio ports in HD Audio mode

It has a magnetic anti-dust filter

Z2+ HERO



















Motherboard space Card slot and installation space External dimensions Sheet material and thickness

Cooling system

Type of skeleton

Outer compartment

Front panel ports Accessories

Advance Middle-Tower inverted skeleton case CEB, Micro ATX, ATX, Mini-ITX 7 slots with the ability to install 3 cards up to 395mm long (in (3-way SLI / 3-way CrossFire) mode)

Length (depth) 480 mm Width 200mm Height 505 mm 0.7 mm SECC (Steel Electrogavanized Cold-Rolled Coil) Ability to install 4 "3.5" hard disks and 2 "2.5" hard disks (5 combined)

Ability to install 2 optical drives" 5.25 Back (1 120mm quiet fan with 15-white LED for air outlet (installed))

Front (2 low noise 120 mm fans with 15-white LED for air intake (installed)) Ceiling (2 low-noise 120 mm fans with 15-LED white for air intake (installed))

2 USB 3.0 ports and 2 USB 2.0 ports and audio ports in HD/AC-97 mode Ability to install water cooling radiator (front 280/240 mm), (ceiling 240 mm) (back 120 mm) It has a magnetic dust filter Acrylic transparent smoked glass side cover

Two-channel fan speed regulation circuit

ADVANCE MID-TOWER

















Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness Inner compartment

Outer compartment Cooling system

Front panel ports Accessories

Advance Middle-Tower Gaming Inverted Skeleton Case

Micro ATX, ATX, Mini-ITX

7 slots with the ability to install 4 cards up to 400mm long (in (3-way SLI / 3-way CrossFire) mode) Length (depth) 455 mm Width 205 mm Height 475 mm

0.7 mm SECC (Steel Electrogavanized Cold-Rolled Coil)

Ability to install 2 "3.5" hard drives and 5 "2.5" hard drives (2 "3.5" hard drives) Ability to install 1 "5.25" optical drive

Back (1 low-noise 120 mm fan with red LED for air outlet (installed))

Front (2 120 mm fans for air intake (can be installed)

Ceiling (2 fans 120/140 mm for air outlet (possible installation))

1 USB3.0 port and 2 USB2.0 ports and audio ports in HD Audio mode Ability to install a water cooling radiator (front 360/280/240 mm) (back 120 mm)

It has a magnetic dust filter Acrylic transparent smoked glass side cover

STRIKER



ADVANCE MID-TOWER

















Type of skeleton

Motherboard space Card slot and installation space External dimensions Sheet material and thickness Inner compartment

Cooling system

Front panel ports

Advance Middle-Tower Gaming Inverted Skeleton Case

Micro ATX, ATX, Mini-ITX

7 slots with the ability to install 4 cards up to 400mm long (in (3-way SLI / 3-way CrossFire) mode) Length (depth) 455 mm Width 205 mm Height 475 mm

0.7 mm SECC (Steel Electrogavanized Cold-Rolled Coil) Ability to install 2 "3.5" hard drives and 5 "2.5" hard drives (2 "3.5" hard drives)

Front (2 120 mm fans for air intake (can be installed)

Ability to install 1 "5.25" optical drive

Back (1 low-noise 120 mm fan with red LED for air outlet (installed))

Ceiling (2 fans 120/140 mm for air outlet (possible installation))

1 USB3.0 port and 2 USB 2.0 ports and audio ports in HD Audio mode

Ability to install a water cooling radiator (front 360/280/240 mm) (back 120 mm) It has a magnetic dust filter Acrylic transparent smoked glass side cover

Z5 SURENA

ADVANCE SUPER MID-TOWER GAMING

















Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness

Inner compartment Cooling system

Front panel ports

Advanced Super Mid-Tower Gaming Inverted Skeleton Case

CEB, ATX, E-ATX, Micro ATX, Mini-ITX

8 slots with the ability to install 4 cards up to 360mm long (in (3-way SLI / 3-way CrossFire) mode) Length (depth) 440 mm Width 220 mm Height 510 mm

Ability to install 3 "3.5" hard disks and 7 "2.5" hard disks (3 "3.5" hard disks) Back (1 120 mm low-noise ARGB fan for air outlet (installed))

Front (3 120 mm low-noise ARGB fans for air intake (installed)) Ceiling (2 fans 120/140 mm for air outlet (possibility of installation)) Coverpower (2 fans 120/140 mm for air intake (installable))

1 USB 3.0 port and 2 USB 2.0 ports and audio ports in HD Audio mode Ability to install water cooling radiator (front 240/280/360 mm)

(ceiling 240/280 mm) (back 120 mm)

Smoked tempered glass side cover Has an ARGB lighting hub with capability Connecting to MB, adjusting fan speed and equipped with remote control

ARIA

ADVANCE MID-TOWER GAMING



















Type of skeleton Motherhoard space Card slot and installation space External dimensions Sheet material and thickness

Inner compartment Cooling system

Front panel ports Accessories

Advance Middle-Tower Gaming Inverted Skeleton Case

Micro ATX, ATX, Mini-ITX

7 slots with the ability to install 2 cards up to 350mm long (in (2-way SLI / 2-way CrossFire) mode) Length (depth) 400 mm Width 215 mm Height 458 mm

0.6 mm SPCC Ability to install 3 "3.5" hard drives and 5" 2.5" hard drives (3" 3.5" hard drives)

Back (1 low noise 120 mm fan with ARGB for air outlet (installed)) Back (1 low noise 120mm fan with ARGB for air intake (installed))

Ceiling (2 120 mm fans for air outlet (possible installation)) Power cover (2 120 mm fans for air intake (installable))

1 USB 3.0 port and 2 USB 2.0 ports and audio ports in HD Audio mode

Ability to install water cooling radiator (front 360/280/240 mm), (back 120 mm) It has an ARGB lighting hub with the ability to connect to MB, adjust the fan speed and is equipped with a remote control

GREEN

GRIFFIN G1

ADVANCE MID-TOWER GAMING

















for common office and	

Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness

Inner compartment Cooling system

Front panel ports Accessories

Advance Mid-Tower Gaming Reverse Skeleton Case E-ATX, CEB, ATX, Micro ATX, Mini-ITX

7 slots with the ability to install 2 cards up to 340 mm long (in (2-way SLI / 2-way CrossFire) mode) Length (depth) 423 mm Width 210 mm Height 450 mm

0.6 mm SECC Ability to install 2 hard disks "3.5" and 2 hard disks "2.5"

Back (1 120 mm quiet fan with ARGB for air outlet (installed)) Front (1 low noise 200mm fan with ARGB for air intake (installed)) Ceiling (2 120 mm fans for air outlet (can be installed))

1 USB 3.0 port and 2 USB 2.0 ports and audio ports in HD Audio mode Ability to install water cooling radiator (front 360/240 mm), (ceiling 240 mm), (back 120 mm) | Glass side cover

It has an ARGB lighting hub with the ability to connect to MB, adjust the fan speed and is equipped with a remote control

GRIFFIN G2

ADVANCED SUPER MID-TOWER GAMING





















Type of skeleton Motherboard space Card slot and installation space External dimensions Sheet material and thickness Inner compartment

Cooling system

Accessories

Advanced Super Mid-Tower Gaming Inverted Skeleton Case E-ATX, CEB, ATX, Micro ATX, Mini-ITX 7 slots with the ability to install 3 cards up to 350mm long (in (3-way SLI / 3-way CrossFire) mode)

Length (depth) 429 mm Width 216 mm Height 482 mm 0.7 mm SECC Ability to install 4 "3.5" hard disks and 5 "2.5" hard disks (3 "3.5" hard disks)

Back (1 120 mm quiet fan with ARGB for air outlet (installed)) Front (3 low-noise 120 mm fans with ARGB for air intake (installable))

a graphics card in parallel with the motherboard

Ceiling (2 120 mm fans for air outlet (can be installed)) Power cover (2 120 mm fans for air intake (installable))

Front panel ports 1 USB 3.0 port and 2 USB2.0 ports and audio ports in HD Audio mode Smoked tempered glass side cover It has an

ARGB lighting hub with the ability to connect to MB Riser slot and cable with the ability to install

GRIFFIN G3

ADVANCE MID-TOWER GAMING

















Type of skeleton Motherboard space Card slot and installation space

External dimensions Sheet material and thickness Inner compartment Ability to install 3 "3.5" hard disks and 4 "2.5" hard disks

Cooling system

Front panel ports Accessories

Advance Mid-Tower Gaming Reverse Skeleton Case

E-ATX, CEB, ATX, Micro ATX, Mini-ITX

7 slots with the ability to install 2 cards up to 340 mm long (in (3-way SLI / 3-way CrossFire) mode) Length (depth) 440 mm Width 215 mm Height 478 mm

Back (1 120 mm quiet fan with RGB for air outlet (installed)) Front (3 low-noise 120mm fans with RGB for air intake (installed)) Ceiling (2 fans 140 mm/120 mm for air outlet (possible to install))

2 USB 3.0 ports and 2 USB 2.0 ports and audio ports in HD Audio mode Ability to install water cooling radiator (front 360/280/240 mm),

(ceiling 240 mm), (back 120 mm) | Glass side cover It has an ARGB lighting strip and the ability to install

a graphics card in parallel with the motherboard (if a riser kit is provided).

GRIFFIN G4

ADVANCED SUPER MID-TOWER GAMING





















Type of skeleton Motherboard space Card slot and installation space External dimensions

Inner compartment

Cooling system

Front panel ports

Advanced Super Mid-Tower Gaming Inverted Skeleton Case E-ATX, CEB, ATX, Micro ATX, Mini-ITX

7 slots with the ability to install 3 cards up to 340 mm long (in (3-way SLI / 3-way CrossFire) mode) Length (depth) 440 mm Width 215 mm Height 478 mm

Ability to install 4 "3.5" hard disks and 5 "2.5" hard disks (3 "3.5" hard disks) Back (1 120 mm quiet fan with ARGB for air outlet (installed)) Front (2 low-noise 200 mm fans with ARGB for air intake (installed))

Ceiling (2 fans 120/140 mm for air outlet (possible installation)) Power cover (2 120 mm fans for air intake (installable))

2 USB 3.0 ports and 2 USB 2.0 ports and audio ports in HD Audio mode Ability to install water cooling radiator (front 240/280/360 mm) (ceiling 240/280 mm)

(back 120 mm) | Glass side cover Smoky Tempered Glass It has an ARGB lighting hub with the ability to connect to MB, adjust the fan speed and is equipped with a remote control

The ability to replace the front panel of the case with a mesh and glass model (included with the case), the ability to install a graphics card

in parallel with the motherboard

ADVANCED SUPER MID-TOWER GAMING





Suitable for professional and gar	ming systems
Type of skeleton	Advanced Super Mid-Tower Gaming Inverted Skeleton Case
Motherboard space	E-ATX, CEB, ATX, Micro ATX, Mini-ITX
Card slot and installation space	7 slots with the ability to install 3 cards up to 370 mm long (in (3-way SLI / 3-way CrossFire) mode)
External dimensions	Length (depth) 429 mm Width 216 mm Height 482 mm
Sheet material and thickness	0.7 mm SECC
Inner compartment	Ability to install 4 "3.5" hard disks and 5 "2.5" hard disks (3 "3.5" hard disks)
Cooling system	Back (1 120 mm quiet fan with ARGB for air outlet (installed))
	Front (2 low-noise 200 mm fans with ARGB for air intake (installed))
	Ceiling (2 fans 120/140 mm for air outlet (possible installation))
	Power cover (2 120 mm fans for air intake (installable))
Front panel ports	1 USB 3.1 Type C Cen 2 port and 2 USB 2.0 ports and audio ports in HD Audio mode
Accessories	Ability to install water cooling radiator (front 240/280/360 mm) (ceiling 240/280 mm (back 120 mm) Glass side cover
Optional accessories	Riser slot and cable with the ability to install a graphics card in parallel























ADVANCED SUPER MID-TOWER GAMING





Type of skeleton	Advanced Super Mid-Tower Gaming Inverted Skeleton Case
Motherboard space	E-ATX, CEB, ATX, Micro ATX, Mini-ITX
Card slot and installation space	8 slots with the ability to install 3 cards up to 390 mm long (in (3-way SLI / 3-way CrossFire) mode
External dimensions	Length (depth) 512 mm Width 215 mm Height 495 mm
Sheet material and thickness	0.7 mm SECC
Inner compartment	Ability to install 11 "3.5" hard disks and 10 "2.5" hard disks
Cooling system	Back (1 120 mm quiet fan with ARGB for air outlet (installed))
	Front (3 low-noise 120mm fans with ARGB for air intake (installed))
	Ceiling (3 low noise 120mm fans with ARGB for air outlet (installed))
Front panel ports	1 USB 3.1 Type-C Gen 2 port and 2 USB 3.0 ports and HD Audio
Accessories	Ability to install water cooling radiator (front 240/280/360 mm)
	(ceiling 240/280/360 mm) (back 120 mm)
	Smoked tempered glass side cover It has an ARGB lighting hub with
	the ability to connect to MB





















AWARDS & CERTIFICATES





































YOUR GATEWAY TO WORLD CLASS GAMING,,

GREEN®











GREEN PLANET GAMING BİLGİSAYAR SİSTEMLERİ TEKNOLOJİ SAN. TİC. A.Ş.



0216 473 36 01

www.green.net.tr